Issuance Date : Feb 01, 2017
Revision Date : Sep 13, 2022

Revision No. : 22-02

# **Technical Data Sheet**

# **BS-8551 All Purpose Metal Polish**



#### **Features**

- Powerful Abrasive Polish
- Pleasant Smell
- Water Dispersible

### **Packaging**

 BS-8551 - 30 g tube carded~144/carton

### Storage

- Store in a dry and cool place with temperature below 30 °C.
- Use within 24 months from date of production.

(Scan to learn how to use)



# **Product Specification**

Chemical Family: Complex MixtureAppearance: White PasteOdour: Pleasant SmellSolid: 39.0 – 41.0 %Specific Gravity: 1.21 – 1.23Solubility in Water: Slightly Dispersible

## **Description**

All Purpose Metal Polish is specially formulated to polish, clean, and protect metal surfaces (chrome, aluminum, stainless steel, copper brass, etc.). It has powerful yet gentle abrasive property making it ideal for restoring the shine of heavily weathered and corroded surfaces. It leaves behind an invisible wax coating that is water repellent and protects against fingerprints and further corrosion. It is water dispersible thus allowing easy cleaning and reuse of polishing cloths.

# **Applications**

Recommended for industries, marine, auto, hobby and household applications. Ideal for polishing jewelry, watches, musical instruments, metal furniture, lamps, bicycles, motorcycles, cars, jossstick stands, candle stands, aluminum windows and doors, brass rails, sink, metal signboard etc.

## **Directions**

- 1. Squeeze a small amount of All Purpose Metal Polish onto a clean dry cloth or buffing pad.
- 2. Spread evenly in a circular motion. Allow to dry haze.
- 3. Wipe or buff off with clean a clean dry cloth.
- 4. Repeat the steps to get the desired shine.

## Caution

Keep out of reach of children. Safety data sheet available on request. For further health and safety information, consult the latest safety data sheet.

Every endeavour has been made to ensure that the information given herein is true and reliable but it is given only for the guidance of our customers. The company cannot accept any responsibility for the loss or damage that may result from the use of the information, due to the possibility of variations of processing or working conditions and of workmanship outside our control. Users are advised to confirm suitability of this product by their own tests.